



SHINN FU AUSTRALIA



**QUALITY IS OUR
FIRST PRIORITY**



Pro-Lift™

www.proliftproducts.com.au

OMEGALIFT™
EQUIPMENT

www.shinnfu.com.au

BVA®
HYDRAULICS

www.bvaonline.com.au



SHINN FU
AUSTRALIA

Pro-Lift™

OMEGA LIFT



NEW

LIGHTWEIGHT FOLDABLE AXLE JACK

23152

CAPACITY: 15/30 TONNE
MIN HEIGHT: 150 MM
MAX HEIGHT: 289 MM
NET WEIGHT: 24 KG
ADAPTORS: 45/75 MM



ONLY
24 KG

NEW

3 IN 1 STACKABLE CAR DOLLY SET

47020

CAPACITY: 900 KG / Piece



HOLD VEHICLE BY: THE WHEEL / THE PINCH WELD / THE FRAME

NEW

ULTRA LOW PROFILE SERVICE JACKS

INCLUDES
**FOOT
PUMP**

29032A

CAPACITY: 3,000 KG
MIN HEIGHT: 85 MM
MAX HEIGHT: 500 MM
NET WEIGHT: 35.5 KG
SADDLE DIA.: 110 MM



29027A

CAPACITY: 1,500 KG
MIN HEIGHT: 73 MM
MAX HEIGHT: 510 MM
NET WEIGHT: 43 KG
SADDLE DIA.: 125 MM





SHINN FU
AUSTRALIA

Pro-Lift™

OMEGA LIFT™



GARAGE JACKS



Capacity (kg)	1,200	1,350	1,650	1,800	2,000	2,000	2,000	2,500
Min Height (mm)	90	135	140	135	150	135	140	135
Max Height (mm)	450	330	381	385	425	495	495	495
Model Number	PRO-A1200	F1350	F1650	F1800	F2000	G2000	G2000S	G2500

+ HANDY SPECS +



PRO-A1200
Net weight total is only 19kg!



G2000S
Requires just two handle strokes to reach load point!



T-2151
680KG capacity to lift various motor vehicles!



T-5501
This mower lift is also air operable!

BOTTLE JACKS



Capacity (kg)	1,850	4,000	6,000
Min Height (mm)	185	205	220
Max Height (mm)	345	393	428
Model Number	B1850	B4000	B6000

UTILITY LIFTS



Capacity (kg)	680	680
Min Height (mm)	135	118
Max Height (mm)	420	370
Model Number	T-2151	T-2300

MOWER



Capacity (kg)	340	340
Wheel Track (cm)	118 - 148	118-148
Lift Height (cm)	69	69
Model Number	T-550	T-5501 (Air Motor)

SHOP EQUIPMENT



Description	5-Wheel Roller Seat	Toolbox Creeper Seat	40" 3 in 1 Z-Creeper	EVA Folding Utility Pad	160KG Dirt Bike Lift	750KG Scissor Jack	450KG Wheel Dolly Set	Fender Roller Kit	Wheel Chock Set
Model Number	7001	T-8017	C-2040B	C-5006A	KTM-2050	SF-K1000N	WD-8017	FR-8094	T-8071



SHINN FU

AUSTRALIA

Pro-Lift™

OMEGA LIFT™



GARAGE JACKS





ECO/PROFESSIONAL SERVICE JACKS

HYBRID SERVICE JACKS

ULTRA LOW & HIGH LIFT SERVICE JACKS

LONG CHASSIS & AIR ACTUATED SERVICE JACKS

LONG CHASSIS

Capacity (Tonne)		2.0	2.5	3.0	2.0	3.0		1.2	2.7		1.5	1.5	3.0	1.5		5.0	10.0	20.0	5.0	10.0
Min Height (mm)		140.0	133.0	145.0	100.0	140.0		95.0	93.0		63.0	73.0	85.0	100.0		178.0	178.0	190.0	165.0	175.0
Max Height (mm)		495.0	483.0	504.0	508.0	558.0		470.0	485.0		500.0	510.0	500.0	815.0		686.0	686.0	660.0	565.0	686.0
Model Number		GJGQ2000	GJG2500	29035A	GJLQ2000	29037A		GJASQ1200	26030A		GJLUQ1500	29027A	29032	GLHQ1500		22051A	22101A	22201A	25057A	25107A





AXLE JACKS

AXLE JACKS

AIR-ACTUATED POLE AXLE JACK

AIR-ACTUATED TELESCOPIC AXLE JACKS

AIR-ACTUATED TELESCOPIC & LONG CHASSIS

Capacity (Tonne)		20.0	30.0		9.0		15.0/30.0	20.0/40.0	30.0	60.0		10.0/20.0/40.0	20.0/40.0/60.0
Min Height (mm)		205.0	280.0		445.0 - 1016.0		150.0	150.0	360.0	420.0		130.0	150.0
Max Height (mm)		318.0	458.0		1300.0		289.0	289.0	627.0	731.0		289.0	327.0
Model Number		23203A	23301A		34100A		23152	23212	24301	24601		24113	24213

BOTTLE JACKS

IN-LINE BOTTLE JACKS

TELESCOPIC BOTTLE JACKS

AIR-ACTUATED BOTTLE JACKS

Capacity (Tonne)		2.0	4.0	6.0	10.0	10.0	20.0	20.0	30.0		2.0	10.0		12.0	20.0	30.0	100.0
Min Height (mm)		205.0	220.0	225.0	240.0	153.0	240.0	165.0	280.0		173.0	180.0		240.0	247.0	280.0	305.0
Max Height (mm)		393.0	428.0	445.0	473.0	272.0	473.0	285.0	460.0		418.0	437.0		470.0	477.0	458.0	460.5
Model Number		BSI2000	BSI4000	BSI6000	10120A	10128A	10200A	10208A	10300A		BST2000B	12100A		18122A	18202A	17302A	18992A

JACK STANDS





RATCHET VEHICLE STANDS - MAGICLIFT VERSION

RATCHET VEHICLE STANDS

PIN-TYPE VEHICLE STANDS

Capacity (Tonne)		5.4	10.9		3.0	5.0	8.0		3.0	18.1	5.0	10.0	10.0
Min Height (mm)		395.0	620.0		295.0	394.0	445.0		290.0	500.0	238.5	310.0	711.0
Max Height (mm)		510.0	780.0		445.0	634.0	700.0		433.0	900.0	360.0	505.0	1194.0
Model Number		32066A	32126A		VSR3000	VSR5000	VSR8000		32031A	32201A	32075A	32225A	32109A

SHOP PRESSES

Capacity (Tonne):		15.0		20.0
Min Clear (mm):		139		128
Max Clear (mm):		1183		1118
Model No:		61154		61204
Capacity (Tonne):		30.0		50.0
Min Clear (mm):		151		68
Max Clear (mm):		1031		1048
Model No:		61304		61504

OMEGA RANGE ALSO INCLUDES

										
LONG JACKS	ENGINE CRANES	TRANSMISSION JACKS	MAGNETIC TOOL HOLDER	WHEEL ARM SET	BEAD BREAKER (Combo kit W/Air Pump)	BEAD SEATING TOOL	BODY REPAIR KIT	3 IN 1 WHEEL DOLLY SET	AUX JACKS	PIT JACKS
4 / 8 Tonne 44943A / 44980A	1 / 2 Tonne 44017A / 44020A	0.5 / 1 / 1.5 Tonne 41100A / 42000A / 43000A	M9922	45.5 Kg / Piece 92100	5 Tonne J22910 / J22953	6 / 20 Liters BBP6A / BBP20A	4 / 10 Tonne 50040A / 50100A	900 Kg / Piece 47020	0.75/2 Tonne 31501A / 33020A	0.2 / 0.3 / 0.6 / 1 Tonne 45440A / 46030A / 45120A / 45200A

FULL RANGE

AVAILABLE IN OUR
OMEGA CATALOGUE





SHINN FU

AUSTRALIA

Pro-Lift™

OMEGA LIFT™



CYLINDER TYPE

MAX CAPACITY
RANGE
(tons)

MAX STROKE
RANGE
(mm)

CYLINDER TYPE

MAX CAPACITY
RANGE
(tons)

MAX STROKE
RANGE
(mm)

ALUMINIUM

20 - 100

50 - 297

LOW PROFILE

10 - 100

38 - 57

FLAT BODY

5 - 150

16

PULL

2.5 - 10

127 - 141

GENERAL PURPOSE

5 - 100

25 - 362

THREADED

10

151 - 253

HOLLOW HOLE

12 - 100

8-155

DOUBLE ACTING

10 - 100

155 - 461

LOCK NUT

50 - 300

50 - 300

Body Repair Equipment Kits

Available in 4T & 10T Versions

10 Ton Air Pump Version

EXCLUDES HAND PUMP
J50100A



Treadle Air Pump
PA1500

+



Bushing
CB1438

10 Ton Body Repair Equipment Kit

J50100M



Capacity

10 Ton

Working Pressure Bar

687.2 BAR

Stroke

123 mm

Min - Max Height

349 - 502 mm / 14 - 20 inch

Effective Area:

61 mm / 2.41 inch Area?

CYLINDERS

ALUMINIUM

FLAT BODY

FLAT BODY KIT

GENERAL PURPOSE

HOLLOW HOLE

LOCK NUT

LOW PROFILE

PULL

DOUBLE ACTING

THREADED

HYDRAULIC ACCESSORIES

GAUGES

FITTINGS

CLEVIS EYES
BASE/PLUNGER

BUSHINGS

VALVES

ZINC
COUPLERS

THREADED
ADAPTORS

SPREADERS

SADDLES

REGULAR FLOW
COUPLERS

PRESSURE GAUGE
ADAPTORS

PRESSURE
SWITCH

MANIFOLD

JACKING BASE

HYDRAULIC
HOSES

HIGH FLOW
COUPLERS

PUMPS

ELECTRIC

AIR

DOUBLE ACTING

ROTARY AIR

HAND

Full Range

Available in BVA Catalogue



JACKS

ORBITAL BOTTLE

TOE

MINI



SHINN FU
AUSTRALIA

Pro-Lift™

OMEGA LIFT
EQUIPMENT



ABOUT US

Shinn Fu Australia was established in 1994, as a subsidiary branch office of Shinn Fu Corporation Taiwan. The infrastructure of Shinn Fu Australia now boasts experienced marketing, sales, technical, and management staff to provide value added localised support to its continually expanding market.

Continued product development, and range expansion programs has created a wide retail customer base, which has enabled the Australian subsidiary operation to access a new market in the Australasian region. Our major brand name PROLIFT supports the retail and home D.I.Y customer base.

The expansion of Shinn Fu Australia's operation has seen the company enter the professional and industrial market with the Omega and BVA branded product lines.

Omega, Shinn Fu's premium line hydraulic automotive lifting equipment, was launched in 1997 and immediately received international recognition for its exceptional quality standards and innovative features. The continuous improvement of the quality and feature of the Omega range form the basis of Shinn Fu Australia's steady growth.

Increased awareness of Occupational Health and Safety and mandatory Consumer Safety guidelines has provided Shinn Fu Australia an additional platform to effectively market its product range. Shinn Fu's commitment to product compliance with local safety standards and mandatory regulations ensures our continued supply of quality products with elevated integrity.

In 2004, Shinn Fu Australia introduced its high quality BVA industrial hydraulic equipment range. Manufactured in ISO 9001/9002 certified facilities with major investments such as metallurgical microscope and robotic welding machines to ensure metal quality and assembly precision, BVA represents Shinn Fu's next phase in continuing its global presence on the hydraulic market.

SHINN FU GROUP

AUSTRALIA

AUSTRALIA - Shinn Fu Australia Pty. Ltd.

15 Viewtech Place, Rowville 3178 Victoria, Australia

Tel: 61-3-9755-8277

Fax: 61-3-9755-8219

E-mail: sales@sfaa.com.au

Website: www.shinnfu.com.au

WORLDWIDE

ASIA - Shinn Fu Corporation Headquarter

7F., No.408 Ruei Guang Road, Nei Hu District,
Taipei City 114, Taiwan R.O.C.
Tel: 886-2-8751-7888
Website: www.shinnfu.com

CHINA - Shinn Fu (HK) Industries Co., Ltd.

Hong Kong office:
Unit 1705, 17th Floor, Tins Enterprise Centre, No. 777 Lai Chi
Kok Road, Kowloon
Tel: 852-3187-0100

Shanghai Office:
539, Qingyang (N) Rd. Zhoushi Town, Kun Shan City,
Jiangsu Province
Tel: 086-512-36900696

USA - Shinn Fu Company of America, Inc.

10939 N. Pomona Ave., Kansas City, MO 64153, USA
Toll free: 888-332-6419
Tel: 816-891-6390
Website: www.shinnfuamerica.com

CANADA - Shinn Fu Company of Canada, Inc.

6335 Shawson Drive, Unit 1 Mississauga, Ontario L5T 1S7
Toll free: 1-888-201-0259
Tel: 1-905-362-2277

EUROPE - Shinn Fu Europe B.V.

Munnikenheiweg 50, 4879 NG Etten-Leur, The Netherlands
Tel: 31-165-583300